Ť I	Hits	Toyt	<u></u>	Tm:
L Number	HITS	Sear Text	DB	Time stamp
1	7	Liquid adj crystal adj display and matrix	USPAT;	2004/07/16
-	•	and screen and frame\$1 and signal\$1 and	US-PGPUB;	14:43
		synch\$9 and light\$9 and illuminat\$9 and		14.42
		polarity\$6 and subtract\$9 and period and	EPO; JPO;	
{		polarity of and subtracts and period and	DERWENT;	-
		distribute\$9 and between and positive and	IBM_TDB	
		negative and apparatus and substrates and		
	_	image and data and input and black		
2	1	Liquid adj crystal adj display and matrix	USPAT;	2004/07/16
		and screen and frame\$1 and signal\$1 and	US-PGPUB;	14:44
ļ		synch\$9 and light\$9 and illuminat\$9 and	EPO; JPO;	
		polarity\$6 and subtract\$9 and period and	DERWENT;	
		distribute\$9 and between and positive and	IBM TDB	
		negative and apparatus and substrates and	_	
l		image and data and input and black AND		
		HIGH ADJ SPEED		
3	1	Liquid adj crystal adj display and matrix	USPAT;	2004/07/16
		and screen and frame\$1 and signal\$1 and	US-PGPUB;	14:44
		synch\$9 and light\$9 and illuminat\$9 and	EPO; JPO;	1
		polarity\$6 and subtract\$9 and period and	DERWENT;	
		distribute\$9 and between and positive and	IBM TDB'	
		negative and apparatus and substrates and	TDE	
		image and data and input and black AND		
		HIGH And SPEED	5	
_	199		HCDAM	2004/07/07
	199	Liquid adj crystal adj display adj	USPAT;	2004/07/07
		apparatus and substrates and liquid adj	US-PGPUB;	15:45
1		crystal adj layer and transparent and	EPO; JPO;	<i>'</i>
		wire\$6 and line\$1	DERWENT;	1
-			IBM_TDB	
-	76	, 1	USPAT;	2004/07/07
1		apparatus and substrates and liquid adj	US-PGPUB;	15:45
		crystal adj layer and transparent and	EPO; JPO;	
		wire\$6 and line\$1 and column\$1	DERWENT;	
			IBM_TDB	
-	6	Liquid adj crystal adj display adj	USPAT;	2004/07/07
		apparatus and substrates and liquid adj	US-PGPUB;	15:46
		crystal adj layer and transparent and	EPO; JPO;	
-		wire\$6 and line\$1 and column\$1 and	DERWENT;	
		active adj element	IBM TDB	
-	63		USPAT;	2004/07/07
		apparatus and substrates and liquid adj	US-PGPUB;	15:46
ŀ		crystal adj layer and transparent and	EPO; JPO;	
		wire\$6 and line\$1 and column\$1 and	DERWENT;	
		active and element\$1	IBM TDB	
_	63		USPAT;	2004/07/07
	55	apparatus and substrates and liquid adj	US-PGPUB;	15:47
		crystal adj layer and transparent and	EPO; JPO;	10.3/
		wire\$6 and line\$1 and column\$1 and		
			DERWENT;	
		active and element\$1 and image\$1 and display\$6	IBM_TDB	
_	27		HCDAM.	2004/07/07
[	۷۱		USPAT;	2004/07/07
		apparatus and substrates and liquid adj	US-PGPUB;	15:47
		crystal adj layer and transparent and	EPO; JPO;	
J	ļ	wire\$6 and line\$1 and column\$1 and	DERWENT;	
ľ		active and element\$1 and image\$1 and	IBM_TDB	
1		display\$6 and pixel\$1 and writ\$6		
-	27	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/07/07
		apparatus and substrates and liquid adj	US-PGPUB;	15:48
1		crystal adj layer and transparent and	EPO; JPO;	
		wire\$6 and line\$1 and column\$1 and	DERWENT;	
1		active and element\$1 and image\$1 and	IBM TDB	
		display\$6 and pixel\$1 and writ\$6 and		
1		matrix		
- 1	25	Liquid adj crystal adj display adj	USPAT;	2004/07/07
1	23	apparatus and substrates and liquid adj	US-PGPUB;	· ·
1				15:48
[		crystal adj layer and transparent and	EPO; JPO;	
		wire\$6 and line\$1 and column\$1 and	DERWENT;	
ł	1	active and element\$1 and image\$1 and	IBM_TDB	
İ		display\$6 and pixel\$1 and writ\$6 and		
		matrix and screen	ł	

Search History 7/16/04 3:16:45 PM Page 1

_	13	Liquadj crystal adj display adj apparatus and substrates and liquid adj crystal adj layer and transparent and	USPAT; US-PGPUB;	2004/07/07 15:49
		wire\$6 and line\$1 and column\$1 and active and element\$1 and image\$1 and display\$6 and pixel\$1 and writ\$6 and	EPO; JPO; DERWENT; IBM_TDB	
-	13	apparatus and substrates and liquid adj crystal adj layer and transparent and wire\$6 and line\$1 and column\$1 and active and element\$1 and image\$1 and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:49
		display\$6 and pixel\$1 and writ\$6 and matrix and screen and frame\$1 and signal\$1		
_	11	Liquid adj crystal adj display adj apparatus and substrates and liquid adj crystal adj layer and transparent and wire\$6 and line\$1 and column\$1 and active and element\$1 and image\$1 and display\$6 and pixel\$1 and writ\$6 and matrix and screen and frame\$1 and signal\$1 and synch\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:49
_	11		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:50
-	3		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:50
-	1	Liquid adj crystal adj display adj apparatus and substrates and liquid adj crystal adj layer and transparent and wire\$6 and line\$1 and column\$1 and active and element\$1 and image\$1 and display\$6 and pixel\$1 and writ\$6 and matrix and screen and frame\$1 and signal\$1 and synch\$9 and light\$9 and illuminat\$9 and polarity\$6 and negative and positive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:52
-	3	•	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:54
-	31	Liquid adj crystal adj display and matrix and screen and frame\$1 and signal\$1 and synch\$9 and light\$9 and illuminat\$9 and polarity\$6 and subtract\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/07 15:56
_	30	Liquid adj crystal adj display and matrix and screen and frame\$1 and signal\$1 and synch\$9 and light\$9 and illuminat\$9 and polarity\$6 and subtract\$9 and period	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/07 15:56

-	17	Liquadj crystal adj display and matrix	USPAT;	2004/07/07
		and screen and frame\$1 and signal\$1 and	US-PGPUB;	15:56
		synch\$9 and light\$9 and illuminat\$9 and	EPO; JPO;	
		polarity\$6 and subtract\$9 and period and	DERWENT;	1
1_	17	distribute\$9	IBM_TDB	0004407407
-	1			2004/07/07
		and screen and frame\$1 and signal\$1 and synch\$9 and light\$9 and illuminat\$9 and	US-PGPUB;	15:57
		polarity\$6 and subtract\$9 and period and	EPO; JPO;	
ĺ		distribute\$9 and between	DERWENT;	}
_	1		IBM_TDB USPAT;	2004/07/07
	1	and screen and frame\$1 and signal\$1 and	US-PGPUB;	15:58
		synch\$9 and light\$9 and illuminat\$9 and	EPO; JPO;	13.30
		polarity\$6 and subtract\$9 and period and	DERWENT;	
		distribute\$9 and between and positive and	IBM TDB	
		negative and apparatus and substrates and		
		liquid adj crystal adj layer and		
	_	transparent		
-	7	and	USPAT;	2004/07/16
		and screen and frame\$1 and signal\$1 and	US-PGPUB;	07:54
		synch\$9 and light\$9 and illuminat\$9 and	EPO; JPO;	
		polarity\$6 and subtract\$9 and period and	DERWENT;	
		distribute\$9 and between and positive and negative and apparatus and substrates	IBM_TDB	
_	15	Liquid adj crystal adj display and matrix	HCDAM.	2004/07/07
	**	and screen and frame\$1 and signal\$1 and	USPAT; US-PGPUB;	2004/07/07
		synch\$9 and light\$9 and illuminat\$9 and	EPO; JPO;	16:09
		polarity\$6 and subtract\$9 and period and	DERWENT;	
		distribute\$9 and between and positive and	IBM TDB	
		negative		1
-	104		USPAT;	2004/07/15
		preset and writ\$6 and polarit\$6	US-PGPUB;	15:45
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	68	image adj display and high adj speed and	USPAT;	2004/07/15
		preset and writ\$6 and polarit\$6 and	US-PGPUB;	07:22
		reverse\$6	EPO; JPO;	
			DERWENT; IBM TDB	
-	5	image adj display and high adj speed and	USPAT;	2004/07/15
		preset and writ\$6 and polarit\$6 and	US-PGPUB;	07:23
		reverse\$6 and double and quadruple	EPO; JPO;	
		•	DERWENT;	
	_		IBM_TDB	
-	5	image adj display and high adj speed and	USPAT;	2004/07/15
-		preset and writ\$6 and polarit\$6 and	US-PGPUB;	07:23
		reverse\$6 and (double and quadruple and	EPO; JPO;	
		speed)	DERWENT;	
1_	5	image add dignlaw and high add access	IBM_TDB	2004/07/15
	ا ا	<pre>image adj display and high adj speed and (preset and writ\$6) and polarit\$6 and</pre>	USPAT;	2004/07/15
		reverse\$6 and (double and quadruple and	US-PGPUB; EPO; JPO;	07:25
		speed) and normal	DERWENT;	
		E ,	IBM TDB	
-	5	image adj display and high adj speed and	USPAT;	2004/07/15
[		(preset and writ\$6) and polarit\$6 and	US-PGPUB;	07:26
]		reverse\$6 and (double and quadruple and	EPO; JPO;	
		speed) and normal and scan\$6	DERWENT;	
	_		IBM_TDB	
[ -	5	image adj display and high adj speed and	USPĀT;	2004/07/15
]		(preset and writ\$6) and polarit\$6 and	US-PGPUB;	15:46
		reverse\$6 and (double and quadruple and	EPO; JPO;	
		speed) and normal and scan\$6 and line\$1	DERWENT;	
_	, ,	image add dignlaw and bink and and the	IBM_TDB	2004/07/15
-	1	image adj display and high adj speed and polarit\$6 and reverse\$6 and (scan\$6 and	USPAT;	2004/07/15
		line\$1 and upper and lower) and (LCD or	US-PGPUB;	07:44
		liquid adj crystal adj display) and	EPO; JPO;	1
	į	discontinu\$6 adj luminance	DERWENT; IBM TDB	Ì
		and the same and t	TON IND	

-	10		USPAT;	2004/07/15
	ŀ	polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	15:47
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	
		liquid adj crystal adj display) and	DERWENT;	
		discontinu\$6 and luminance	IBM_TDB	
-	6	image adj display and high adj speed and	USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and line\$1 and upper and lower) and (LCD or	US-PGPUB;	11:40
		liquid adj crystal adj display) and	EPO; JPO; DERWENT;	
		discontinu\$6 and luminance and pixel	IBM TDB	
_	5	image adj display and high adj speed and	USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	10:30
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	13.33
		liquid adj crystal adj display) and	DERWENT;	
		(discontinu\$6 and luminance) and (pixel\$1	IBM_TDB	
	1	and writ\$6)		
_	4		USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	11:40
Ì		line\$1 and upper and lower) and (LCD or liquid adj crystal adj display) and	EPO; JPO;	
		(discontinu\$6 and luminance) and (pixel\$1	DERWENT;	1
		and writ\$6) and matrix and frame\$1 and	IBM_TDB	
İ		signal\$1		
-	2	image adj display and high adj speed and	USPAT;	2004/07/15
İ	1	polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	10:31
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	
		liquid adj crystal adj display) and	DERWENT;	1
İ		(discontinu\$6 and luminance) and (pixel\$1	IBM_TDB	
		and writ\$6) and matrix and frame\$1 and signal\$1 and synch\$9		ĺ
_	٥ ا	image adj display and high adj speed and	IICDAM.	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	USPAT; US-PGPUB;	2004/07/15
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	10.33
1		liquid adj crystal adj display) and	DERWENT;	
		(discontinu\$6 and luminance) and (pixel\$1	IBM TDB	
		and writ\$6) and matrix and frame\$1 and	_	
		signal\$1 and synch\$9 and intermittent		
-	0	image adj display and high adj speed and	USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	10:33
		line\$1 and upper and lower) and (LCD or liquid adj crystal adj display) and	EPO; JPO;	
		(discontinu\$6 and luminance) and (pixel\$1	DERWENT; IBM TDB	
		and writ\$6) and matrix and frame\$1 and	IDII_IDD	
		signal\$1 and synch\$9 and intermi\$9		1
-	0	image adj display and high adj speed and	USPAT;	2004/07/15
]		polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	10:34
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	
		liquid adj crystal adj display) and	DERWENT;	1
		(discontinu\$6 and luminance) and (pixel\$1 and writ\$6) and matrix and frame\$1 and	IBM_TDB	
		signal\$1 and synch\$9 and intermit-\$9		
-	1	image adj display and high adj speed and	USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	10:34
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	
		liquid adj crystal adj display) and	DERWENT;	
		(discontinu\$6 and luminance) and (pixel\$1	IBM_TDB	
		and writ\$6) and matrix and frame\$1 and		
_	2	signal\$1 and synch\$9 and subtract\$6	WGD.	2004/07/15
		image adj display and high adj speed and polarit\$6 and reverse\$6 and (scan\$6 and	USPAT;	2004/07/15
		line\$1 and upper and lower) and (LCD or	US-PGPUB; EPO; JPO;	10:35
		liquid adj crystal adj display) and	DERWENT;	ľ
		(discontinu\$6 and luminance) and (pixel\$1	IBM TDB	
		and writ\$6) and matrix and frame\$1 and		
]	_	signal\$1 and synch\$9		
<del>-</del>	5	image adj display and high adj speed and	USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	10:39
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	
		liquid adj crystal adj display) and (discontinu\$6 and luminance) and (pixel\$1	DERWENT;	
		and writ\$6) and matrix	IBM_TDB	
L		"ALUYV/ MIGULIA		

-	6	imag Adj display and high adj speed an	USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	10:50
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	
		liquid adj crystal adj display) and discontinu\$6 and luminance and pixel\$1	DERWENT;	
_	6	image adj display and high adj speed and	IBM_TDB USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	10:55
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	10.33
		liquid adj crystal adj display) and	DERWENT;	
		discontinu\$6 and luminance and pixel and	IBM TDB	
		matrix	_	
-	4	image adj display and high adj speed and	USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	10:54
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	
		liquid adj crystal adj display) and discontinu\$6 and luminance and pixel and	DERWENT;	
		matrix and frame\$1	IBM_TDB	
-	1	image adj display and high adj speed and	USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	10:56
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	
		liquid adj crystal adj display) and	DERWENT;	
		discontinu\$6 and luminance and pixel and	IBM_TDB	
		matrix and signal\$1 and synch\$9 and		
_	1	<pre>subtract\$6 image adj display and high adj speed and</pre>	IISDAT.	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	USPAT; US-PGPUB;	2004/07/15 10:56
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	10.00
		liquid adj crystal adj display) and	DERWENT;	
		discontinu\$6 and luminance and pixel and	IBM_TDB	
		matrix and synch\$9 and subtract\$6		
-	4	image adj display and high adj speed and	USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and line\$1 and upper and lower) and (LCD or	US-PGPUB;	10:59
		liquid adj crystal adj display) and	EPO; JPO; DERWENT;	
		discontinu\$6 and luminance and pixel and	IBM TDB	
		matrix and signal\$1 and synch\$9		
	4	image adj display and high adj speed and	USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	11:00
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	
		liquid adj crystal adj display) and discontinu\$6 and luminance and pixel\$1	DERWENT;	
		and matrix and signal\$1 and synch\$9	IBM_TDB	
-	1	image adj display and high adj speed and	USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	11:00
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	
		liquid adj crystal adj display) and	DERWENT;	
		discontinu\$6 and luminance and pixel\$1	IBM_TDB	
		and write\$6 and matrix and signal\$1 and synch\$9		
_	2	image adj display and high adj speed and	USPAT;	2004/07/15
	_	polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	11:22
]		line\$1 and upper and lower) and (LCD or	EPO; JPO;	
1		liquid adj crystal adj display) and	DERWENT;	
		discontinu\$6 and luminance and pixel\$1	IBM_TDB	
		and (write\$6 or load\$6) and matrix and		
_	4	signal\$1 and synch\$9 image adj display and high adj speed and	IICDAM.	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	USPAT; US-PGPUB;	2004/07/15 11:16
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	11.10
	l	liquid adj crystal adj display) and	DERWENT;	
	ļ	discontinu\$6 and luminance and pixel\$1	IBM TDB	
	1	and data and matrix and signal\$1 and	_	
		synch\$9		
-	4	image adj display and high adj speed and		2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and line\$1 and upper and lower) and (LCD or	US-PGPUB;	11:17
	1	liquid adj crystal adj display) and	EPO; JPO; DERWENT;	
		discontinu\$6 and luminance and pixel\$1	IBM TDB	
	l	and data and matrix and signal\$1 and		
		synch\$9 and (subtract\$6 or reduce\$6)		

-	4	imag adj display and high adj speed and	USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	11:20
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	1
		liquid adj crystal adj display) and	DERWENT;	
		discontinu\$6 and luminance and pixel\$1	IBM_TDB	1
		and data and matrix and signal\$1 and synch\$9 and (subtract\$6 or reduce\$6 or		
		delete\$6)	1	
-	4	image adj display and high adj speed and	USPAT;	2004/07/15
	1	polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	11:21
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	11.21
•		liquid adj crystal adj display) and	DERWENT;	
	1	discontinu\$6 and luminance and pixel\$1	IBM TDB	
		and data and matrix and signal\$1 and	_	
		synch\$9 and (subtract\$6 or reduce\$6 or		
		delete\$6) and (frame\$1 or period\$1)		
-	4		USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and line\$1 and upper and lower) and (LCD or	US-PGPUB;	11:22
		liquid adj crystal adj display) and	EPO; JPO; DERWENT;	
İ		discontinu\$6 and luminance and pixel\$1	IBM TDB	
		and data and matrix and signal\$1 and	I DII_IDB	1
1		synch\$9 and ((subtract\$6 or reduce\$6 or		
		delete\$6) and (frame\$1 or period\$1))		
-	2	image adj display and high adj speed and	USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	11:23
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	
1		liquid adj crystal adj display) and discontinu\$6 and luminance and pixel\$1	DERWENT;	
		and data and matrix and signal\$1 and	IBM_TDB	
1		synch\$9 and ((subtract\$6 or reduce\$6 or		
1		delete\$6) and (frame\$1 or period\$1)) and		
		(write\$6 or load\$6)		
-	4		USPAT;	2004/07/15
	•	polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	11:41
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	
1		liquid adj crystal adj display) and discontinu\$6 and luminance and pixel\$1	DERWENT;	
		and pixel\$1 and data and matrix and	IBM_TDB	
		signal\$1 and synch\$9 and ((subtract\$6 or		
		reduce\$6 or delete\$6) and (frame\$1 or		
		period\$1))		
-	5	image adj display and high adj speed and	USPAT;	2004/07/15
		polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	12:29
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	
		liquid adj crystal adj display) and (discontinu\$6 and luminance) and (pixel\$1	DERWENT;	
		and writ\$6) and matrix and signal\$1	IBM_TDB	
-	51		USPAT;	2004/07/15
	·	preset and writ\$6 and polarit\$6 and	US-PGPUB;	15:45
		wire\$6	EPO; JPO;	
			DERWENT;	
	ا	2	IBM_TDB	
-	4		USPAT;	2004/07/15
		(preset and writ\$6) and polarit\$6 and	US-PGPUB;	15:46
		reverse\$6 and (double and quadruple and speed) and normal and scan\$6 and wire\$6	EPO; JPO; DERWENT;	
		-F and normal and scando and wileso	IBM TDB	
-	3	image adj display and high adj speed and	USPAT;	2004/07/15
] [		polarit\$6 and reverse\$6 and (scan\$6 and	US-PGPUB;	16:06
		line\$1 and upper and lower) and (LCD or	EPO; JPO;	
		liquid adj crystal adj display) and	DERWENT;	
[	_	discontinu\$6 and luminance and wire\$6	IBM_TDB	
] -	1	image adj display and high adj speed and	USPAT;	2004/07/15
		polarit \$6 and reverse \$6 and (scan \$6 and line \$1 and upper and lower) and (LCD or	US-PGPUB;	16:07
		liquid adj crystal adj display) and	EPO; JPO; DERWENT;	
		discontinu\$6 and luminance and wire\$6 and	IBM_TDB	
		(intermittent or intermediate or middle)		

		1.600		
-	2	6020pn.	USPAT;	2004/07/15
		·	US-PGPUB;	16:08
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	6020867.pn. and (intermittent or	USPAT;	2004/07/15
		intermediate or middle)	US-PGPUB;	16:08
		·	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	6020867.pn. and pixel\$1	USPAT;	2004/07/15
		· · · · · · · · · · · · · · · · · · ·	US-PGPUB;	16:09
			EPO; JPO;	10.05
			DERWENT;	
			IBM TDB	
_	7	Liquid adj crystal adj display and matrix	USPAT;	2004/07/16
	<b>'</b> l	and screen and frame\$1 and signal\$1 and		2004/07/16
		synch\$9 and light\$9 and illuminat\$9 and	US-PGPUB;	07:54
ľ		polarity\$6 and subtract\$9 and period and	EPO; JPO;	
		distribute\$9 and between and positive and	DERWENT;	
			IBM_TDB	
		negative and apparatus and substrates and		
	1	image		
_	1		USPAT;	2004/07/16
1		and screen and frame\$1 and signal\$1 and	US-PGPUB;	07:55
		synch\$9 and light\$9 and illuminat\$9 and	EPO; JPO;	
		polarity\$6 and subtract\$9 and period and	DERWENT;	
		distribute\$9 and between and positive and	IBM_TDB	1
		negative and apparatus and substrates and		
i		image adj data		
-	7	Liquid adj crystal adj display and matrix	USPAT;	2004/07/16
		and screen and frame\$1 and signal\$1 and	US-PGPUB;	08:08
		synch\$9 and light\$9 and illuminat\$9 and	EPO; JPO;	·
		polarity\$6 and subtract\$9 and period and	DERWENT;	
1		distribute\$9 and between and positive and	IBM_TDB	
İ		negative and apparatus and substrates and		
		image and data		
-	7	que au or jour au arberu, and macrin	USPAT;	2004/07/16
		and screen and frame\$1 and signal\$1 and	US-PGPUB;	13:54
ţ	i	synch\$9 and light\$9 and illuminat\$9 and	EPO; JPO;	
		polarity\$6 and subtract\$9 and period and	DERWENT;	
		distribute\$9 and between and positive and	IBM TDB	
Ì	l	negative and apparatus and substrates and		
	İ	image and data and input		
-	6	Liquid adj crystal adj display and matrix	USPAT;	2004/07/16
	1	and screen and frame\$1 and signal\$1 and	US-PGPUB;	10:21
		synch\$9 and light\$9 and illuminat\$9 and	EPO; JPO;	
		polarity\$6 and subtract\$9 and period and	DERWENT;	
	1	distribute\$9 and between and positive and	IBM TDB	
	ŀ	negative and apparatus and substrates and	~ <i>D</i> 1 <i>DD</i>	
		image and data and input and reset		